

What is claimed is:

1. A light-emitting apparatus comprising:
a light-emitting device including a first electrode, an electroluminescent film
formed over the first electrode, and a second electrode formed over the electroluminescent
5 film;
an inorganic insulating film formed over the second electrode; and
a film containing fluoroplastics formed over the inorganic insulating film.
2. A light-emitting apparatus according to Claim 1, wherein the film containing
10 fluoroplastics is one type of polymer selected from polytetrafluoroethylene,
tetrafluoroethylene-hexafluoropropylene copolymer, polychlorotrifluoroethylene,
tetrafluoroethylene-ethylene copolymer, polyvinyl fluoride, and polyvinylidene fluoride.
3. A light-emitting apparatus according to Claim 1, wherein the inorganic insulating
15 film is one type selected from silicon nitride, silicon oxynitride, aluminum nitride, and
aluminum oxynitride.
4. A light-emitting apparatus comprising:
a light-emitting device including a first electrode, an electroluminescent film
20 formed over the first electrode, and a second electrode formed over the electroluminescent
film;
an inorganic insulating film formed over the second electrode;
an organic insulating film formed over the inorganic insulating film; and
a film containing fluoroplastics formed over the organic insulating film.

5. A light-emitting apparatus according to Claim 4, wherein the film containing fluoroplastics is one type of polymer selected from polytetrafluoroethylene, tetrafluoroethylene-hexafluoropropylene copolymer, polychlorotrifluoroethylene, 5 tetrafluoroethylene-ethylene copolymer, polyvinyl fluoride, and polyvinylidene fluoride.

6. A light-emitting apparatus according to Claim 4, wherein the inorganic insulating film is one type selected from silicon nitride, silicon oxynitride, aluminum nitride, and aluminum oxynitride.

10

7. A light-emitting apparatus according to Claim 4, wherein the organic insulating film is formed of any one of acrylic, polyamide, or polyimide.

8. A light-emitting apparatus comprising:

15 a light-emitting device including a first electrode, an electroluminescent film formed over the first electrode, and a second electrode formed over the electroluminescent film;

a first inorganic insulating film formed over the second electrode;

an organic insulating film formed over the inorganic insulating film;

20 a second inorganic insulating film formed over the organic insulating film: and

a film containing fluoroplastics formed over the second inorganic insulating film.

9. A light-emitting apparatus according to Claim 8, wherein the film containing fluoroplastics is one type of polymer selected from polytetrafluoroethylene,

tetrafluoroethylene-hexafluoropropylene copolymer, polychlorotrifluoroethylene, tetrafluoroethylene-ethylene copolymer, polyvinyl fluoride, and polyvinylidene fluoride.

10. A light-emitting apparatus according to Claim 8, wherein each the first inorganic
5 insulating film and a second inorganic insulating film is one type selected from silicon nitride, silicon oxynitride, aluminum nitride, and aluminum oxynitride.

11. A light-emitting apparatus according to Claim 8, wherein the organic insulating film is formed of any one of acrylic, polyamide, or polyimide.

10

12. A light-emitting apparatus comprising:

a light-emitting device including a first electrode connecting electrically to a TFT formed over a substrate via an insulating film, an electroluminescent film formed over the first electrode, and a second electrode formed over the electroluminescent film;

15 an inorganic insulating film formed over the second electrode; and

a film containing fluoroplastics formed over the inorganic insulating film.

13. A light-emitting apparatus according to Claim 12, wherein the film containing fluoroplastics is one type of polymer selected from polytetrafluoroethylene,
20 tetrafluoroethylene-hexafluoropropylene copolymer, polychlorotrifluoroethylene, tetrafluoroethylene-ethylene copolymer, polyvinyl fluoride, and polyvinylidene fluoride.

14. A light-emitting apparatus according to Claim 12, wherein the inorganic insulating film is one type selected from silicon nitride, silicon oxynitride, aluminum

nitride, and aluminum oxynitride.

15. A light-emitting apparatus comprising:

- 5 a light-emitting device including a first electrode connecting electrically to a TFT
formed over a substrate via an insulating film, an electroluminescent film formed over the
first electrode, and a second electrode formed over the electroluminescent film;
an inorganic insulating film formed over the second electrode;
an organic insulating film formed over the inorganic insulating film; and
a film containing fluoroplastics formed over the organic insulating film.

10

16. A light-emitting apparatus according to Claim 15, wherein the film containing
fluoroplastics is one type of polymer selected from polytetrafluoroethylene,
tetrafluoroethylene-hexafluoropropylene copolymer, polychlorotrifluoroethylene,
tetrafluoroethylene-ethylene copolymer, polyvinyl fluoride, and polyvinylidene fluoride.

15

17. A light-emitting apparatus according to Claim 15, wherein the inorganic insulating
film is one type selected from silicon nitride, silicon oxynitride, aluminum nitride, and
aluminum oxynitride.

20 18. A light-emitting apparatus according to Claim 15, wherein the organic insulating
film is formed of any one of acrylic, polyamide, or polyimide.

19. A light-emitting apparatus comprising:

- a light-emitting device including a first electrode connecting electrically to a TFT

formed over a substrate via an insulating film, an electroluminescent film formed over the first electrode, and a second electrode formed over the electroluminescent film;

a first inorganic insulating film formed over the second electrode;

an organic insulating film formed over the first inorganic insulating film;

5 a second inorganic insulating film formed over the organic insulating film; and

a film containing fluoroplastics formed over the second inorganic insulating film.

20. A light-emitting apparatus according to Claim 19, wherein the film containing fluoroplastics is one type of polymer selected from polytetrafluoroethylene, tetrafluoroethylene-hexafluoropropylene copolymer, polychlorotrifluoroethylene, 10 tetrafluoroethylene-ethylene copolymer, polyvinyl fluoride, and polyvinylidene fluoride.

21. A light-emitting apparatus according to Claim 19, wherein each the first inorganic insulating film and a second inorganic insulating film is one type selected from silicon 15 nitride, silicon oxynitride, aluminum nitride, and aluminum oxynitride.

22. A light-emitting apparatus according to Claim 19, wherein the organic insulating film is formed of any one of acrylic, polyamide, or polyimide.